

Congenital Myasthenic Syndromes are the **MASTERS OF DISGUISE**

Congenital myasthenic syndromes (CMS) are often mistaken for congenital myopathy.¹⁻⁴

Remember, it could be CMS, rather than congenital myopathy, if a child or adult has:⁴⁻⁸

- Fatigable or fluctuating muscle weakness *or*
- Normal or non-specific muscle biopsy findings *or*
- Decrement on repetitive nerve stimulation

IF IT COULD BE CMS
Order a free genetic test
to diagnose, or refer to a specialist for support.

IF IT IS CMS, consider clinical study enrollment.

SCAN TO
LEARN MORE



1. Theuriet J, et al. *Brain*. 2024;147(11):3849–62; 2. Kao J, et al. *Neurology*. 2018 6;91(19):e1770–7; 3. Kinali M, et al. *J Neuroimmunol*. 2008;201–202:6–12; 4. Finsterer J. *Orphanet J Rare Dis*. 2019;14(1):57; 5. Abicht A, et al. GeneReviews. <https://www.ncbi.nlm.nih.gov/books/NBK1168/>. 2003 March 9 [updated 2021 Dec 23]. Accessed 09 March 2026; 6. Maggi L, et al. *Neurol Sci*. 2019;40(3):457–68; 7. Claesys KG. *Dev Med Child Neurol*. 2020;62(3):297–302; 8. North K, et al. *Neuromuscul Disord*. 2014;24(2):97–116.